

Set Name	Query	Hit Count So	et Name result set
side by side $DB = USPT$,	PGPB,JPAB,EPAB,DWPI,TDBD; THES=ASSIGNEE;		
PLUR=YES;	OP=AND	2	<u>L12</u>
<u>L12</u>	L11 and ((FGF adj 2) or (bFGF))	13	<u></u> <u>L11</u>
<u>L11</u>	Thomson-james-a\$.in.	0	<u>L10</u>
<u>L10</u>	Duncan-ian-david.in.	1	<u>L9</u>
<u>L9</u>	Zhang-su-chun.in. (neural adj precursor) same ("%")	0	<u>L8</u>
<u>L8</u>	(L3 or L4) and (bFGF)	11	<u>L7</u>
<u>L7</u> <u>L6</u>	L5 and (FGF 2)	4	<u>L6</u>
<u>Lo</u> <u>L5</u>	(L4 or L3) and (FGF?)	4	<u>L5</u>
<u>L3</u> <u>L4</u>	L2 and (EBs)	29	<u>L4</u>
<u>L3</u>	L2 and (embryoid adj bodies)	27	<u>L3</u>
<u>L2</u>	(embryonic adj (stem cell)) and (neural precursor)	134	<u>L2</u>
<u></u> <u>L1</u>	(embryonic adj (stem cell)) same (neural adj precursor)	0	<u>L1</u>

END OF SEARCH HISTORY

13206406 BIOSIS NO.: 200100413555

Neuronal progenitor cells and uses thereof.

AUTHOR: Luskin Marla B(a)

AUTHOR ADDRESS: (a) Decatur, GA**USA

JOURNAL: Official Gazette of the United States Patent and Trademark Office Patents 1247 (4):pNo Pagination June 26, 2001

MEDIUM: e-file

ISSN: 0098-1133

ISSN: 0098-1133 DOCUMENT TYPE: Patent RECORD TYPE: Abstract LANGUAGE: English

ABSTRACT: The present invention provides an isolated cellular composition comprising greater than about *90*% mammalian, non tumor-derived, *neuronal* *progenitor* cells which express a neuron-specific marker and which can give rise to progeny which can differentiate into neuronal cells. Also provided are methods of treating neuronal disorders utilizing this cellular *composition*.

?ds

```
Description
       Items
Set
                (EMBRYOID (W) BODIES) OR (EBS)
        2355
S1
               (NEURAL OR NEURONAL) (W) (PRECURSOR OR PROGENITOR)
        2751
s2
               S1 (S) S2
s3
               RD (unique items)
           3
S4
               S1 AND S2
S5
           11
               RD (unique items)
           5
S6
               S6 AND ((BFGF) OR (FGF (W) 2))
s7
           1
               S2 (S) (ISOLATED (W) CELL (W) POPULATION)
           0
S8
               S2 (S) (95% OR 90% OR 72% OR 84%)
           0
S9
                S2 (S) ("95%")
           0
S10
           68 S2 (S) ((CELL (W) POPULATION) OR (COMPOSITION))
S11
                RD (unique items)
S12
           29
                S12 AND (95 OR 90 OR 72 OR 84)
S13
?logoff
       08may02 13:34:35 User259876 Session D338.2
            $3.43 1.073 DialUnits File155
               $0.42 2 Type(s) in Format 2
               $1.47 7 Type(s) in Format 3
            $1.89 9 Types
     $5.32 Estimated cost File155
            $7.06
                    1.261 DialUnits File5
               $5.25 3 Type(s) in Format 3
            $5.25 3 Types
    $12.31 Estimated cost File5
                    1.273 DialUnits File73
           $11.46
    $11.46 Estimated cost File73
            OneSearch, 3 files, 3.607 DialUnits FileOS
     $2.38 TELNET
    $31.47 Estimated cost this search
    $31.84 Estimated total session cost 3.703 DialUnits
```

Status: Signed Off. (11 minutes)

Status: Path 1 of [Dialog Information Services via Modem] ### Status: Initializing TCP/IP using (UseTelnetProto 1 ServiceID pto-dialog) Trying 31060000009999...Open DIALOG INFORMATION SERVICES PLEASE LOGON: ****** HHHHHHHH SSSSSSSS? ### Status: Signing onto Dialog ***** ENTER PASSWORD: ****** HHHHHHH SSSSSSS? ****** Welcome to DIALOG ### Status: Connected Dialog level 02.03.27D Last logoff: 04may02 13:20:43 Logon file001 08may02 13:24:13 *** ANNOUNCEMENT *** *** --U.S. Patents Fulltext (File 654) has been redesigned with new search and display features. See HELP NEWS 654 for information. --Dialog NewsRoom is now available. BEGIN NEWSROOM to use the files in a OneSearch. See NEW FILES RELEASED (below) for individual file numbers. --Connect Time joins DialUnits as pricing options on Dialog. See HELP CONNECT for information. --CLAIMS/US Patents (Files 340,341, 942) have been enhanced with both application and grant publication level in a single record. See HELP NEWS 340 for information. *** --SourceOne patents are now delivered to your email inbox as PDF replacing TIFF delivery. See HELP SOURCE1 for more information. *** -- Important news for public and academic libraries. See HELP LIBRARY for more information. --Important Notice to Freelance Authors--See HELP FREELANCE for more information For information about the access to file 43 please see Help News43. NEW FILES RELEASED ***Dialog NewsRoom - Current 3-4 months (File 990) ***Dialog NewsRoom - 2001 Archive (File 994) ***Dialog NewsRoom - 2000 Archive (File 995) ***AGROProjects (File 235) ***TRADEMARKSCAN-Finland (File 679) ***TRADEMARKSCAN-Japan (File 669) ***TRADEMARKSCAN-Norway (File 678) ***TRADEMARKSCAN-Sweden (File 675) UPDATING RESUMED ***Delphes European Business (File 481) RELOADED ***U.S. Patents Fulltext 1976-current (File 654)

```
(File 581)
***Population Demographi
***CLAIMS/US PATENTS (Files 340, 341, 942)
***Kompass Western Europe (590)
***D&B - Dun's Market Identifiers (516)
REMOVED
***U.S. Patents Fulltext 1980-1989 (File 653)
***Washington Post (File 146)
***Books in Print (File 470)
***Court Filings (File 793)
***Microcomputer Software Guide Online (File 278)
***Publishers, Distributors & Wholesalers of the U.S. (File 450)
***State Tax Today (File 791)
***Tax Notes Today (File 790)
***Worldwide Tax Daily (File 792)
***New document supplier***
IMED has been changed to INFOTRIE (see HELP OINFOTRI)
>>>Get immediate news with Dialog's First Release
   news service. First Release updates major newswire
   databases within 15 minutes of transmission over the
   wire. First Release provides full Dialog searchability
   and full-text features. To search First Release files in
   OneSearch simply BEGIN FIRST for coverage from Dialog's
   broad spectrum of news wires.
     >>> Enter BEGIN HOMEBASE for Dialog Announcements <<<
     >>> of new databases, price changes, etc.
KWIC is set to 50.
HILIGHT set on as '*'
***
       1:ERIC 1966-2002/Apr 18
File
       (c) format only 2002 The Dialog Corporation
      Set Items Description
      ___ -_---
Cost is in DialUnits
 ?b 155, 5, 73
       08may02 13:24:26 User259876 Session D338.1
            $0.33 0.095 DialUnits File1
     $0.33 Estimated cost File1
     $0.04 TELNET
      $0.37 Estimated cost this search
      $0.37 Estimated total session cost 0.095 DialUnits
 SYSTEM:OS - DIALOG OneSearch
   File 155:MEDLINE(R) 1966-2002/Apr W4
 *File 155: This file will be reloaded. Accession numbers will change.
         5:Biosis Previews(R) 1969-2002/Apr W4
   File
          (c) 2002 BIOSIS
   File 73:EMBASE 1974-2002/May W1
          (c) 2002 Elsevier Science B.V.
 *File 73: For information about Explode feature please
 see Help News73.
       Set Items Description
           ____
 ?s (embryoid (w) bodies) or (EBs)
             1776 EMBRYOID
           194454 BODIES
             1200 EMBRYOID(W)BODIES
             1340 EBS
```

(W) BODIES) OR (EBS) 2355 (EMBRY s1 ?s (neural or neuronal) (w) (precursor or progenitor) 831215 NEURAL 286415 NEURONAL 192928 PRECURSOR 55492 PROGENITOR (NEURAL OR NEURONAL) (W) (PRECURSOR OR PROGENITOR) 2751 S2 ?s s1 (s) s2 2355 S1 2751 S2 9 S1 (S) S2 S3

...completed examining records

3 RD (unique items) S4

?t s4/3, k/all

(Item 1 from file: 155) 4/3,K/1

DIALOG(R) File 155:MEDLINE(R)

PMID: 11897870 12947888 21896482

Analysis of different promoter systems for efficient transgene expression in mouse embryonic stem cell lines.

Chung Sangmi; Andersson Therese; Sonntag Kai-C; Bjorklund Lars; Isacson Ole; Kim Kwang-Soo

Molecular Neurobiology Laboratory, Neuroregeneration Laboratory, and Udall Parkinson's Disease Center, McLean Hospital, Harvard Medical School, Belmont, Massachusetts, USA.

Mar 2002, 20 (2) p139-45, Stem cells (Dayton, Ohio) (United States) Journal Code: 9304532 ISSN 1066-5099

Languages: ENGLISH

Document type: Journal Article

Record type: In Process

... promoter was inactive. We also demonstrated that the EF and CBA promoters effectively drove gene expression in different stages of cell development: naive ES cells, *embryoid* *bodies* (*EBs*), and *neuronal* *precursor* cells. In contrast, the CMV promoter did not have transcriptional activity in either ES cells or EB but had significant activity once ES cells differentiated...

(Item 2 from file: 155) 4/3,K/2 DIALOG(R) File 155: MEDLINE(R)

21588753 PMID: 11731781

12839449 In vitro differentiation of transplantable neural precursors from human embryonic stem cells.

Zhang S C; Wernig M; Duncan I D; Brustle O; Thomson J A

Department of Anatomy, University of Wisconsin 1500 Highland Avenue, Madison, WI 53705, USA. zhang@waisman.wisc.edu

Nature biotechnology (United States) Dec 2001, 19 (12) p1129-33, ISSN 1087-0156 Journal Code: 9604648

Comment in Nat Biotechnol. 2001 Dec;19(12) 1117-8; Comment in PMID 11731775

Languages: ENGLISH

Document type: Journal Article

Record type: Completed

... ES) cells promise an almost unlimited supply of specific cell types for transplantation therapies. Here we describe the in vitro differentiation, enrichment, and transplantation of *neural* *precursor* cells from human ES cells. Upon aggregation to *embryoid* *bodies*, differentiating ES cells formed large numbers of neural tube-like structures in the presence of fibroblast growth factor 2 (FGF-2). Neural precursors within these...

(Item 3 from file: 155) 4/3,K/3 DIALOG(R)File 155:MEDLINE(R) PMID: 11716562 21573979 Enrichment of neurons and neural precursors from human embryonic stem 12810811 Carpenter M K; Inokuma M S; Denham J; Mujtaba T; Chiu C P; Rao M S cells. Geron Corporation, 230 Constitution Drive, Menlo Park, California 94025, USA. mcarpenter@geron.com Experimental neurology (United States) Dec 2001, 172 (2) p383-97, Journal Code: 0370712 ISSN 0014-4886 Languages: ENGLISH Document type: Journal Article Record type: Completed ... months in vitro (over 100 population doublings) before their ability to differentiate into the neural lineage was evaluated. Differentiation was induced by the formation of *embryoid* *bodies* that were subsequently plated onto appropriate substrates in defined medium containing mitogens. These populations contained cells that showed positive immunoreactivity to nestin, polysialylated neural cell... ...found to be similar to those of cells derived from primary tissue. These data indicate that hES cells could provide a cell source for the *neural* *progenitor* cells and mature neurons for therapeutic and toxicological uses. ?ds Description Items (EMBRYOID (W) BODIES) OR (EBS) 2355 (NEURAL OR NEURONAL) (W) (PRECURSOR OR PROGENITOR) s12751 S2 S1 (S) S2 s3 RD (unique items) 3 S4?s s1 and s2 2355 S1 2751 S2 11 S1 AND S2 **S**5 ?rd ...completed examining records 5 RD (unique items) ?t s6 (Item 1 from file: 155) 6/2/1 DIALOG(R) File 155:MEDLINE(R) PMID: 11897870 21896482 12947888 Analysis of different promoter systems for efficient transgene expression in mouse embryonic stem cell lines. Chung Sangmi; Andersson Therese; Sonntag Kai-C; Bjorklund Lars; Isacson Ole; Kim Kwang-Soo Molecular Neurobiology Laboratory, Neuroregeneration Laboratory, and Udall Parkinson's Disease Center, McLean Hospital, Harvard Medical School, Belmont, Massachusetts, USA. Stem cells (Dayton, Ohio) (United States) Mar 2002, 20 (2) p139-45,

Document type: Journal Article Record type: In Process INDEX MEDICUS Subfile:

Journal Code: 9304532

Record Date Created: 20020318

?t s6/3, k/all

ISSN 1066-5099

Languages: ENGLISH

(Item 1 from file: 155) 6/3,K/1 DIALOG(R) File 155:MEDLINE(R)

11897870 21896482 12947888

Analysis of different promoter systems for efficient transgene expression in mouse embryonic stem cell lines.

Chung Sangmi; Andersson Therese; Sonntag Kai-C; Bjorklund Lars; Isacson

Ole; Kim Kwang-Soo

Molecular Neurobiology Laboratory, Neuroregeneration Laboratory, Udall Parkinson's Disease Center, McLean Hospital, Harvard Medical School, Belmont, Massachusetts, USA.

Stem cells (Dayton, Ohio) (United States) Mar 2002, 20 (2) p139-45, Journal Code: 9304532 ISSN 1066-5099

Languages: ENGLISH

Document type: Journal Article

Record type: In Process

... promoter was inactive. We also demonstrated that the EF and CBA promoters effectively drove gene expression in different stages of cell development: naive ES cells, *embryoid* *bodies* (*EBs*), and *neuronal* *precursor* cells. In contrast, the CMV promoter did not have transcriptional activity in either ES cells or EB but had significant activity once ES cells differentiated...

(Item 2 from file: 155) 6/3,K/2

DIALOG(R) File 155: MEDLINE(R)

PMID: 11731781 21588753 12839449

In vitro differentiation of transplantable neural precursors from human embryonic stem cells.

Zhang S C; Wernig M; Duncan I D; Brustle O; Thomson J A

Department of Anatomy, University of Wisconsin 1500 Highland Avenue, Madison, WI 53705, USA. zhang@waisman.wisc.edu

Dec 2001, 19 (12) p1129-33, Nature biotechnology (United States)

ISSN 1087-0156 Journal Code: 9604648

Comment in Nat Biotechnol. 2001 Dec;19(12) 1117-8; Comment in PMID 11731775

Languages: ENGLISH

Document type: Journal Article

Record type: Completed

... ES) cells promise an almost unlimited supply of specific cell types for transplantation therapies. Here we describe the in vitro differentiation, enrichment, and transplantation of *neural* *precursor* cells from human ES cells. Upon aggregation to *embryoid* *bodies*, differentiating ES cells formed large numbers of neural tube-like structures in the presence of fibroblast growth factor 2 (FGF-2). Neural precursors within these...

(Item 3 from file: 155) 6/3, K/3

DIALOG(R) File 155: MEDLINE(R)

PMID: 11716562 12810811 21573979

Enrichment of neurons and neural precursors from human embryonic stem cells.

Carpenter M K; Inokuma M S; Denham J; Mujtaba T; Chiu C P; Rao M S Geron Corporation, 230 Constitution Drive, Menlo Park, California 94025, USA. mcarpenter@geron.com

Experimental neurology (United States) Dec 2001, 172 (2) p383-97, SN 0014-4886 Journal Code: 0370712

ISSN 0014-4886

Languages: ENGLISH

Document type: Journal Article

Record type: Completed

... months in vitro (over 100 population doublings) before their ability to differentiate into the neural lineage was evaluated. Differentiation was induced by the formation of *embryoid* *bodies* that were subsequently

aining mitogens. substrates in defined medium co. plated onto appropriat These populations contained cells that showed positive immunoreactivity to nestin, polysialylated neural cell...

...found to be similar to those of cells derived from primary tissue. These data indicate that hES cells could provide a cell source for the *neural* *progenitor* cells and mature neurons for therapeutic and toxicological uses.

(Item 1 from file: 5) 6/3,K/4 DIALOG(R) File 5: Biosis Previews(R) (c) 2002 BIOSIS. All rts. reserv.

BIOSIS NO.: 200200002464 13373643

In vitro differentiation and transplantation of human ES cell-derived neural precursors.

AUTHOR: Duncan I D(a); Zhang S C; Wernig M; Brustle O; Thomson J A AUTHOR ADDRESS: (a) Dept Med Sci, Univ Wisconsin Sch Vet Med, Madison, WI**

JOURNAL: Society for Neuroscience Abstracts 27 (2):p2087 2001

MEDIUM: print

CONFERENCE/MEETING: 31st Annual Meeting of the Society for Neuroscience

San Diego, California, USA November 10-15, 2001

ISSN: 0190-5295 RECORD TYPE: Abstract LANGUAGE: English

... ABSTRACT: for transplantation therapies. Here we describe the in vitro differentiation, purification and transplantation of human ES cell-derived neural precursors. Neural differentiation was initiated in *embryoid* *bodies* and enhanced by FGF2. Neural precursors expressing nestin, Musashi-1 and PSA-NCAM formed neural tube-like rosette formations which could be enriched to 96... DESCRIPTORS:

...ORGANISMS: PARTS ETC: *neural* *precursor* cell METHODS & EQUIPMENT: *neural* *precursor* transplantation...

(Item 2 from file: 5) 6/3, K/5DIALOG(R)File 5:Biosis Previews(R) (c) 2002 BIOSIS. All rts. reserv.

BIOSIS NO.: 200100486855

Multiple routes to generate CNS progeny from mouse embryonic stem cells. AUTHOR: Widmer D A J(a); Sato N(a); Barbieri T; Tabar V(a); Studer L(a) AUTHOR ADDRESS: (a) Laboratory of Stem Cell and Tumor Biology, Neurosurgery and Cellular Biochemistry and Biophysics, Memorial Sloan Kettering Cancer Center, New York, NY**USA

JOURNAL: Society for Neuroscience Abstracts 27 (1):p347 2001

MEDIUM: print

CONFERENCE/MEETING: 31st Annual Meeting of the Society for Neuroscience

San Diego, California, USA November 10-15, 2001

ISSN: 0190-5295

RECORD TYPE: Abstract

LANGUAGE: English

SUMMARY LANGUAGE: English

... ABSTRACT: of midbrain dopamine neurons from mouse ES cells. A five-step differentiation protocol converts ES cells into differentiated CNS progeny via the sequential generation of *embryoid* *bodies*, neural plate-like cells, neural progenitors and immature neurons and glial cells. An alternative technique is based on the use of stromal cell feeders that...

DESCRIPTORS:

...ORGANISMS: PARTS ETC: *neural* *progenitor*--

```
?ds
                Description
        Items
Set
                (EMBRYOID (W) BODIES) OR (EBS)
                (NEURAL OR NEURONAL) (W) (PRECURSOR OR PROGENITOR)
         2355
S1
         2751
S2
                S1 (S) S2
            9
s3
                RD (unique items)
            3
S4
                S1 AND S2
           11
S5
                RD (unique items)
            5
S6
?s s6 and ((bFGF) or (FGF (w) 2))
               5 $6
           14908 BFGF
           16521 FGF
         7228105 2
            3742 FGF(W)2
               1 S6 AND ((BFGF) OR (FGF (W) 2))
      s7
?t s7
            (Item 1 from file: 155)
 7/2/1
DIALOG(R) File 155:MEDLINE(R)
                       PMID: 11731781
  In vitro differentiation of transplantable neural precursors from human
            21588753
 12839449
 embryonic stem cells.
   Zhang S C; Wernig M; Duncan I D; Brustle O; Thomson J A
   Department of Anatomy, University of Wisconsin 1500 Highland Avenue,
Madison, WI 53705, USA. zhang@waisman.wisc.edu
                                         Dec 2001, 19 (12) p1129-33,
   Nature biotechnology (United States)
                 Journal Code: 9604648
 ISSN 1087-0156
             in Nat Biotechnol. 2001 Dec;19(12) 1117-8; Comment in PMID
   Comment
 11731775
   Languages: ENGLISH
   Document type: Journal Article
   Record type: Completed
             INDEX MEDICUS
   Subfile:
   Tags: Animal; Human; Support, Non-U.S. Gov't
   Descriptors: *Embryo--cytology--CY; *Neurons--cytology--CY; *Stem Cells
 Descriptors: Embryo cycology of, Modelin offorest Bromodeoxyur --cytology--CY; Brain--embryology--EM; Brain--metabolism--ME; Bromodeoxyur
 idine--metabolism--ME; Cell Adhesion; Cell Differentiation; Cell Lineage;
 Cell Transplantation; Cells, Cultured; Central Nervous System--cytology--CY
                   Cells--metabolism--ME; Fibroblast Growth Factor
 --biosynthesis--BI; Immunohistochemistry; In Situ Hybridization; Mice
                                      (Fibroblast Growth Factor 2); 59-14-3
   CAS Registry No.: 103107-01-3
   (Bromodeoxyuridine)
    Record Date Created: 20011203
  ?ds
                  Description
          Items
  Set
                  (EMBRYOID (W) BODIES) OR (EBS)
                  (NEURAL OR NEURONAL) (W) (PRECURSOR OR PROGENITOR)
  S1
           2355
  S2
           2751
                  S1 (S) S2
              9
  s3
                  RD (unique items)
              3
  S4
                  S1 AND S2
             11
  S5
                  RD (unique items)
  S6
              5
                  S6 AND ((BFGF) OR (FGF (W) 2))
              1
  S7
  ?s s2 (s) (isolated (w) cell (w) population)
               2751 S2
           1291212 ISOLATED
            5701152 CELL
           1239871 POPULATION
                 0 S2 (S) (ISOLATED (W) CELL (W) POPULATION)
  ?s s2 (s) (95% or 90% or 72% or 84%)
               2751 S2
                  0 95%
                  0 90%
```

0 72%

```
84%
              Ω
              0 S2 (S) (95% OR 90% OR 72% OR 84%)
     S9
?s s2 (s) ("95%")
           2751 S2
              0 95%
              0 S2 (S) ("95%")
    S10
?s s2 (s) ((cell (w) population) or (composition))
            2751 S2
         5701152 CELL
         1239871 POPULATION
           50204 CELL(W) POPULATION
          459792 COMPOSITION
              68 S2 (S) ((CELL (W) POPULATION) OR (COMPOSITION))
     S11
?rd
...examined 50 records (50)
...completed examining records
              29 RD (unique items)
     s12
?s s12 and (95 or 90 or 72 or 84)
              29 S12
          446836 95
          575966 90
          320027 72
          199321 84
               2 S12 AND (95 OR 90 OR 72 OR 84)
     S13
 ?t s13/3, k/all
               (Item 1 from file: 155)
  13/3, K/1
 DIALOG(R) File 155:MEDLINE(R)
                      PMID: 8786441
          96256701
   In vivo growth factor expansion of endogenous subependymal neural
 09218015
 precursor cell populations in the adult mouse brain.
   Craig CG; Tropepe V; Morshead CM; Reynolds BA; Weiss S; van der Kooy D
   Department of Anatomy and Cell Biology, University of Toronto, Ontario,
                                           Apr 15 1996, 16 (8) p2649-58
   Journal of neuroscience (UNITED STATES)
   ISSN 0270-6474 Journal Code: JDF
                                             QP35. J65
   Languages: ENGLISH
   Document type: Journal Article
   Record type: Completed
   ... lateral ventricle subependyma in the adult mammalian forebrain
 contains both neural stem and progenitor cells. This study describes the in
 situ modulation of these subependymal *neural* *precursor* populations
 after intraventricular administration of exogenous growth factors. In vivo
 infusion of epidermal growth factor (EGF) into adult mouse forebrain for 6
  consecutive days resulted...
  ... subependymal cells and induced their migration away from the lateral
 ventricle walls into adjacent parenchyma. Immediately after EGF infusion,
                                                the EGF-expanded *cell*
                       characterization of
  *population* demonstrated that >*95*% of these cells were EGF receptor- and
  immunohistochemical
  nestin-positive, whereas only 0.9% and 0.2% labeled for astrocytic and neuronal markers, respectively. Seven weeks...
                     the cortex, striatum, and septum. Newly generated
  oligodendrocytes were also observed. These in vivo results (1) confirm the
  existence of EGF-responsive subependymal *neural* *precursor* cells in the
  adult mouse forebrain and (2) suggest that EGF acts directly as a
  proliferation, survival, and migration factor for subependymal precursor
  cells to...
```

13/3,K/2 (Item 1 from file: 5)
DIALOG(R)File 5:Biosis Previews(R)
(c) 2002 BIOSIS. All rts. reserv.